




PVC-U pressure fittings

F/F threaded 90° tee

ITEM 013


REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m³)	contenido.peso bruto	Unidades por lote
1002321	TE 90° ROSCA HEMBRA-HEMBRA 1/2"	0.028	0.00892	3.00	100
1002322	TE 90° ROSCA HEMBRA-HEMBRA 3/4"	0.047	0.01553	5.02	100
1002323	TE 90° ROSCA HEMBRA-HEMBRA 1"	0.082	0.02244	6.20	70
1002324	TE 90° ROSCA HEMBRA-HEMBRA 1 1/4"	0.150	0.03682	12.54	80
1002325	TE 90° ROSCA HEMBRA-HEMBRA 1 1/2"	0.252	0.04717	16.99	65
1002326	TE 90° ROSCA HEMBRA-HEMBRA 2"	0.448	0.04717	17.66	38
1002327	TE 90° ROSCA HEMBRA-HEMBRA 2 1/2"	0.588	0.04717	12.46	20
1002328	TE 90° ROSCA HEMBRA-HEMBRA 3"	1.187	0.04717	14.93	12






ITEM 013 | F/F threaded 90° tee


Código	A	Peso (g)	B	C	D	PN	ROSCA
02321	1/2"	28	27	16	56	PN10	BSP
02322	3/4"	45	33	17	66	PN10	BSP
02323	1"	86	41	21	99	PN10	BSP
02324	1 1/4"	142	50	23	95	PN10	BSP
02325	1 1/2"	235	61	24	114	PN10	BSP
02326	2"	412	76	28	141	PN10	BSP
02327	2 1/2"	$=0.0004 \cdot D9^3 + 0.053 \cdot D9^2 - 0.8141 \cdot D9 + 2.9664$	90	32	166	PN10	BSP
02328	3"	1102	107	35	199	PN10	BSP



Documentación del Producto



Certificados del Producto



Certificados de la Empresa

