



PVC-U pressure fittings

Reducing bush

ITEM 021

REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m³)	contenido.peso bruto	Unidades por lote
1001061	CASQUILLO RED. 25-20	0.005	0.00473	0.61	100
1001062	CASQUILLO RED. 32-25	0.010	0.00473	1.07	100
1001063	CASQUILLO RED. 40-32	0.016	0.00473	1.40	80
1001064	CASQUILLO RED. 50-40	0.030	0.00892	2.28	70
1001065	CASQUILLO RED. 63-50	0.061	0.01553	4.61	70
1001066	CASQUILLO RED. 75-63	0.079	0.02244	4.46	50
1001067	CASQUILLO RED. 90-75	0.135	0.02244	4.95	33
1001068	CASQUILLO RED. 110-90	0.264	0.02243	5.08	18
1001069	CASQUILLO RED. 125-110	0.276	0.01553	3.64	12
1001070	CASQUILLO RED. 140-125	0.328	0.01553	3.61	10
1001071	CASQUILLO RED. 160-140	0.553	0.03129	7.21	12
1001072	CASQUILLO RED. 200-160	1.678	0.04880	17.36	10
1001100	CASQUILLO RED. 225-200	0.825	0.06150	1.75	1
1001101	CASQUILLO RED. 250-225	1.643	0.01553	1.97	1
1001102	CASQUILLO RED. 315-250	6.720	0.03682	7.27	1
1001122	CASQUILLO RED. 140-90	0.631	0.01553	6.64	10
1001123	CASQUILLO RED. 140-110	0.600	0.01553	6.33	10
1001124	CASQUILLO RED. 160-90	0.943	0.03129	11.89	12
1001125	CASQUILLO RED. 160-110	0.830	0.03129	10.54	12
1001126	CASQUILLO RED. 160-125	0.907	0.03129	11.46	12
1001127	CASQUILLO RED. 200-110	1.803	0.04880	18.61	10
1001128	CASQUILLO RED. 200-125	1.852	0.04880	19.10	10
1001129	CASQUILLO RED. 200-140	1.823	0.04880	18.81	10






PVC-U pressure fittings

Reducing bush

ITEM 021

REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m ³)	Peso bruto	Unidades por lote
1001130	CASQUILLO RED. 250-160	3.763	0.01553	4.09	1
1001131	CASQUILLO RED. 250-200	3.308	0.01553	3.64	1
1001132	CASQUILLO RED. 315-200	7.750	0.03682	8.30	1
1001133	CASQUILLO RED. 315-225	5.915	0.04117	6.56	1
1001144	CASQUILLO RED. 20-16	0.003	0.00473	0.54	150
1001170	CASQUILLO RED. 32-20	0.011	0.00473	1.27	100
1001171	CASQUILLO RED. 40-20	0.021	0.00473	1.80	80
1001172	CASQUILLO RED. 40-25	0.022	0.00473	1.91	80
1001173	CASQUILLO RED. 50-20	0.033	0.00892	2.48	70
1001174	CASQUILLO RED. 50-25	0.035	0.00892	2.66	70
1001175	CASQUILLO RED. 50-32	0.039	0.00892	2.89	70
1001178	CASQUILLO RED. 63-32	0.073	0.01553	5.46	70
1001179	CASQUILLO RED. 63-40	0.077	0.01553	5.75	70
1001183	CASQUILLO RED. 75-40	0.119	0.02244	6.45	50
1001184	CASQUILLO RED. 75-50	0.120	0.02244	6.50	50
1001189	CASQUILLO RED. 90-50	0.179	0.02244	6.39	33
1001190	CASQUILLO RED. 90-63	0.165	0.02244	5.95	33
1001196	CASQUILLO RED. 110-63	0.308	0.02243	5.88	18
1001197	CASQUILLO RED. 110-75	0.323	0.02243	6.14	18
1001198	CASQUILLO RED. 125-75	0.494	0.01553	6.26	12
1001199	CASQUILLO RED. 125-90	0.428	0.01553	5.47	12
1001308	CASQUILLO RED. 400-250	11.630	0.02640	11.63	1
1001309	CASQUILLO RED. 400-315	13.675	0.02096	13.68	1






PVC-U pressure fittings

Reducing bush

ITEM 021


REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m ³)	Peso bruto	Unidades por lote
1001310	CASQUILLO RED. 355-315	5.395	0.04117	6.05	1





ITEM 021 | Reducing bush


Codigo	A-a	Peso (g)	B	c	C	PN	MEDIDA
01144	20/16	4	2	14	16	PN16	MÉTRICO
01061	25/20	5	3	16	19	PN16	MÉTRICO
01170	32/20	12	6	16	22	PN16	MÉTRICO
01062	32/25	10	6	19	22	PN16	MÉTRICO
01171	40/20	21	10	16	26	PN16	MÉTRICO
01172	40/25	22	7	19	26	PN16	MÉTRICO
01063	40/32	15	4	22	26	PN16	MÉTRICO
01173	50/20	33	=F10-E10	16	31	PN16	MÉTRICO
01174	50/25	35	=F11-E11	19	31	PN16	MÉTRICO
01175	50/32	39	=F12-E12	22	31	PN16	MÉTRICO





ITEM 021 | Reducing bush


01064	50/40	30	=F13-E13	26	31	PN16	MÉTRICO
01178	63/32	71	=F14-E14	23	38	PN16	MÉTRICO
01179	63/40	77	=F15-E15	26	38	PN16	MÉTRICO
01065	63/50	57	=F16-E16	31	38	PN16	MÉTRICO
01183	75/40	119	=F17-E17	26	44	PN16	MÉTRICO
01184	75/50	118	=F18-E18	32	44	PN16	MÉTRICO
01066	75/63	79	=F19-E19	38	44	PN16	MÉTRICO
01189	90/50	177	=F20-E20	32	51	PN16	MÉTRICO
01190	90/63	164	=F21-E21	39	51	PN16	MÉTRICO
01067	90/75	135	=F22-E22	44	52	PN16	MÉTRICO
01196	110/63	296	=F23-E23	39	61	PN16	MÉTRICO
01197	110/75	315	=F24-E24	44	61	PN16	MÉTRICO
01068	110/90	250	=F25-E25	51	61	PN16	MÉTRICO
01198	125/75	385	=F26-E26	44	69	PN16	MÉTRICO
01199	125/90	415	=F27-E27	51	69	PN16	MÉTRICO
01069	125/110	273	=F28-E28	61	69	PN16	MÉTRICO
01122	140/90	512	=F29-E29	51	76	PN16	MÉTRICO
01123	140/110	560	=F30-E30	61	76	PN16	MÉTRICO
01070	140/125	317	=F31-E31	69	76	PN16	MÉTRICO
01124	160/90	605	=F32-E32	51	86	PN10	MÉTRICO
01125	160/110	685	=F33-E33	61	86	PN10	MÉTRICO
01126	160/125	765	=F34-E34	69	86	PN10	MÉTRICO
01071	160/140	518	=F35-E35	76	86	PN10	MÉTRICO
01127	200/110	2016	=F36-E36	61	106	PN10	MÉTRICO
01128	200/125	2050	=F37-E37	69	106	PN10	MÉTRICO
01129	200/140	1950	=F38-E38	76	106	PN10	MÉTRICO






ITEM 021 | Reducing bush


01072	200/160	1670	=F39-E39	86	106	PN10	MÉTRICO
01100	225/200	1416	=F40-E40	106	119	PN10	MÉTRICO
01101	250/225	1756	=F41-E41	121	134	PN10	MÉTRICO
01131	250/200	2724	=F42-E42	106	135	PN10	MÉTRICO
01130	250/160	2822	=F43-E43	120	135	PN10	MÉTRICO
01102	315/250	4336	=F44-E44	131	164	PN10	MÉTRICO
01133	315/225	7540	=F45-E45	106	166	PN10	MÉTRICO
01132	315/200	7900	=F46-E46	120	166	PN10	MÉTRICO
01309	400/315	9700	=F47-E47	131	205	PN6	MÉTRICO
01308	400/250	11142	=F48-E48	165	205	PN6	MÉTRICO



Documentación del Producto



Certificados del Producto



Certificados da Empresa

