



Válvulas de esfera "Basic" bidireccional

Válv. Bola "Basic"


bidireccional PTFE salida mixta

ITEM 644




| REFERÊNCIA | DESCRIÇÃO | Peso líquido | Volumen (m ³) | Peso bruto | Unidades por lote |
|------------|-------------------------------------|--------------|---------------------------|------------|-------------------|
| 111D160 | V.esfera BID S/MIXTA 20-1/2" PTFE | 0,165 | 0,01553 | 6,9267 | 40 |
| 111D161 | V.esfera BID S/MIXTA 25-3/4" PTFE | 0,21 | 0,02244 | 8,8877 | 40 |
| 111D162 | V.esfera BID S/MIXTA 32-1" PTFE | 0,35958 | 0,03129 | 11,3604 | 30 |
| 111D163 | V.esfera BID S/MIXTA 40-1 1/4" PTFE | 0,6 | 0,03129 | 12,573 | 20 |
| 111D164 | V.esfera BID S/MIXTA 50-1 1/2" PTFE | 0,87 | 0,03129 | 13,623 | 15 |
| 111D165 | V.esfera BID S/MIXTA 63-2" PTFE | 1,41 | 0,03682 | 14,6492 | 10 |
| 111D166 | V.esfera BID S/MIXTA 75-2 1/2" PTFE | 2,68 | 0,03129 | 11,293 | 4 |
| 111D167 | V.esfera BID S/MIXTA 90-3" PTFE | 4,29 | 0,02243 | 9,05 | 2 |







| CODIGO | Tamaño | (g) | DN | A | B | C | D | E | F | G | PN | ROSCA |
|--------|-----------|------|----|-----|-----|----|-----|-----|-----|----|-------------|-------|
| 11D160 | 20-1/2" | 165 | 15 | 89 | 52 | 16 | 74 | 80 | 47 | 17 | PN16 | BSP |
| 11D161 | 25-3/4" | 210 | 20 | 99 | 59 | 19 | 80 | 80 | 51 | 20 | PN16 | BSP |
| 11D162 | 32-1" | 360 | 25 | 119 | 70 | 23 | 103 | 101 | 66 | 23 | PN16 | BSP |
| 11D163 | 40-1 1/4" | 600 | 32 | 133 | 84 | 25 | 125 | 130 | 72 | 26 | PN16 | BSP |
| 11D164 | 50-1 1/2" | 870 | 40 | 151 | 99 | 31 | 138 | 130 | 77 | 33 | PN16 | BSP |
| 11D165 | 63-2" | 1410 | 50 | 167 | 121 | 38 | 177 | 170 | 90 | 29 | PN16 | BSP |
| 11D166 | 75-2 1/2" | 2680 | 65 | 210 | 151 | 45 | 215 | 260 | 121 | 33 | PN10 | BSP |
| 11D167 | 90-3" | 4290 | 80 | 245 | 175 | 51 | 252 | 260 | 141 | 36 | PN10 | BSP |





Documentação do Produto



Certificados do Produto

Certificados da Empresa

