




## Válvulas de aspiración Netwell®

# Válvula flotación salida encolar

## ITEM 295

| REFERÊNCIA | DESCRIÇÃO                                  | Peso líquido | Volume (m³) | contenido.peso bruto | Unidades por lote |
|------------|--------------------------------------------|--------------|-------------|----------------------|-------------------|
| 1014303    | V. ASPIRACION FLOTANTE S/ENCOLAR 40        | 0.773        | 0.01783     | 3.38                 | 4                 |
| 1014304    | V. ASPIRACION FLOTANTE S/ENCOLAR 50        | 0.838        | 0.01553     | 3.68                 | 4                 |
| 1014305    | V. ASPIRACION FLOTANTE S/ENCOLAR 63        | 0.712        | 0.01553     | 3.10                 | 4                 |
| 1014306    | V. ASPIRACION FLOTANTE S/ENCOLAR 75        | 0.836        | 0.01553     | 3.67                 | 4                 |
| 1014307    | V. ASPIRACION FLOTANTE S/ENCOLAR 90        | 3.050        | 0.02280     | 3.40                 | 1                 |
| 1014308    | V.ASPIRACIÓN FLOTANTE DN 100 S/ENCOLAR 110 | 3.141        | 0.02280     | 3.54                 | 1                 |
| 1014309    | V.ASPIRACIÓN FLOTANTE DN 125 S/ENCOLAR 125 | 5.492        | 0.03702     | 5.90                 | 1                 |
| 1014310    | V. ASPIRACION FLOTANTE S/ENCOLAR 140       | 5.562        | 0.03702     | 5.97                 | 1                 |
| 1014311    | V. ASPIRACION FLOTANTE S/ENCOLAR 160       | 5.187        | 0.04125     | 5.51                 | 1                 |
| 1014313    | V. ASPIRACION FLOTANTE S/ENCOLAR 200       | 8.733        | 0.06149     | 9.65                 | 1                 |
| 1014314    | V. ASPIRACION FLOTANTE S/ENCOLAR 225       | 9.540        | 0.06149     | 10.46                | 1                 |
| 1014320    | V.ASPIRACIÓN FLOTANTE DN 125 S/ENCOLAR 110 | 4.672        | 0.03129     | 5.23                 | 1                 |
| 1014335    | V.ASPIRACIÓN FLOTANTE DN 100 S/ENCOLAR 125 | 2.805        | 0.02280     | 3.16                 | 1                 |





ITEM 295 | Válvula flotación salida encolar

| CÓDIGO | ØA  | PESOS | BRIDA | DN CUERPO | C   | D   | E   | F   | G  | PN   | MEDIDA  |
|--------|-----|-------|-------|-----------|-----|-----|-----|-----|----|------|---------|
| 14303  | 40  | 773   | 63    | 50        | 70  | 186 | 37  | 110 | 28 | PN10 | MÉTRICO |
| 14304  | 50  | 809   | 63    | 50        | 70  | 189 | 37  | 110 | 31 | PN10 | MÉTRICO |
| 14305  | 63  | 763   | 63    | 50        | 70  | 199 | 37  | 110 | 41 | PN10 | MÉTRICO |
| 14306  | 75  | 909   | 63    | 50        | 70  | 200 | 37  | 110 | 42 | PN10 | MÉTRICO |
| 14307  | 90  | 2837  | 125   | 110       | 122 | 419 | 118 | 184 | 51 | PN10 | MÉTRICO |
| 14308  | 110 | 2901  | 125   | 110       | 122 | 427 | 118 | 184 | 60 | PN10 | MÉTRICO |
| 14335  | 125 | 2935  | 125   | 110       | 122 | 441 | 118 | 184 | 69 | PN10 | MÉTRICO |
| 14320  | 110 | 5094  | 160   | 150       | 138 | 527 | 152 | 248 | 60 | PN10 | MÉTRICO |
| 14309  | 125 | 4954  | 160   | 150       | 138 | 536 | 152 | 248 | 69 | PN10 | MÉTRICO |
| 14310  | 140 | 5048  | 160   | 150       | 138 | 541 | 152 | 248 | 76 | PN10 | MÉTRICO |





ITEM 295 | Válvula flotación salida encolar

|       |     |      |     |     |     |     |     |     |     |      |         |
|-------|-----|------|-----|-----|-----|-----|-----|-----|-----|------|---------|
| 14311 | 160 | 5259 | 160 | 150 | 138 | 551 | 152 | 248 | 86  | PN10 | MÉTRICO |
| 14313 | 200 | 7600 | 200 | 200 | 210 | 534 | 160 | 297 | 106 | PN10 | MÉTRICO |
| 14314 | 225 | 8130 | 200 | 200 | 210 | 577 | 160 | 297 | 120 | PN10 | MÉTRICO |





## Documentação do Produto



## Certificados do Produto

## Certificados da Empresa

