





Válvulas de bola 'Basic' bidireccional

Salida encolar - FPM

ITEM 648

REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m³)	contenido.peso bruto	Unidades por lote
111D474	V.BOLA BIDIRECCIONAL S/E 20 VITON	0.189	0.02244	7.29	40
111D475	V.BOLA BIDIRECCIONAL S/E 25 VITON	0.211	0.02244	8.85	40
111D476	V.BOLA BIDIRECCIONAL S/E 32 VITON	0.334	0.04879	8.10	30
111D477	V.BOLA BIDIRECCIONAL S/E 40 VITON	0.562	0.04117	11.24	20
111D478	V.BOLA BIDIRECCIONAL S/E 50 VITON	0.953	0.04880	10.11	15
111D479	V.BOLA BIDIRECCIONAL S/E 63 VITON	1.390	0.04717	14.60	10
111D480	V.BOLA BIDIRECCIONAL S/E 75 VITON	2.722	0.03129	6.33	4
111D481	V.BOLA BIDIRECCIONAL S/E 90 VITON	4.278	0.02243	9.04	2






ITEM 648 | Salida encolar - FPM


CÓDIGO	f	PESO (g)	DN	A	B	C	D	E	F	PN	MEDIDA
11D474	20	189	15	84	52	16	74	80	47	PN16	MÉTRICO
11D475	25	211	20	96	59	19	80	80	51	PN16	MÉTRICO
11D476	32	334	25	117	70	23	103	101	66	PN16	MÉTRICO
11D477	40	562	32	132	84	25	125	130	72	PN16	MÉTRICO
11D478	50	953	40	149	99	31	138	130	77	PN16	MÉTRICO
11D479	63	1390	50	173	121	38	177	170	90	PN16	MÉTRICO
11D480	75	2722	65	215	151	45	215	260	121	PN10	MÉTRICO
											MÉTRICO







Documentação do Produto



Certificados do Produto

Certificados da Empresa

