





PP Compression Fittings

Enlace recto

ITEM 474


REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m³)	contenido.peso bruto	Unidades por lote
112E019	STRAIGHT COUPLING 20	0.079	0.02244	7.47	90
112E020	STRAIGHT COUPLING 25	0.131	0.04117	11.13	80
112E021	STRAIGHT COUPLING 32	0.192	0.03682	11.09	55
112E022	STRAIGHT COUPLING 40	0.341	0.06347	17.86	50
112E023	STRAIGHT COUPLING 50	0.530	0.06150	16.83	30
112E024	STRAIGHT COUPLING 63	0.857	0.03648	10.87	12
112E025	STRAIGHT COUPLING 75	1.495	0.04880	14.03	9
112E026	STRAIGHT COUPLING 90	2.585	0.06347	16.34	6
112E027	STRAIGHT COUPLING 110	3.580	0.06347	15.22	4






ITEM 474 | Enlace recto

Código	f tubo	Peso (g)	A	B	C	D	PN	MEDIDA
12E019	20	76	21	46	54	108	PN16	MÉTRICO
12E020	25	126	26	55	61	122	PN16	MÉTRICO
12E021	32	184	33	64	68	136	PN16	MÉTRICO
12E022	40	307	42	76	85	170	PN16	MÉTRICO
12E023	50	473	51	91	92	184	PN16	MÉTRICO
12E024	63	780	64	109	114	228	PN16	MÉTRICO
12E025	75	1448	77	133	139	278	PN10	MÉTRICO
12E026	90	2576	92	159	163	326	PN10	MÉTRICO
12E027	110	3580	112	183	172	344	PN10	MÉTRICO





Documentação do Produto



Certificados do Produto

Certificados da Empresa

