



# Válvulas de esfera "Basic" bidireccional

## Válv. Bola “Basic”

### bidireccional PTFE salida


### colar act. Eléctrico

### ITEM 653



| REFERÊNCIA | DESCRIÇÃO                           | Peso líquido | Volume (m³) | Peso bruto | Unidades por lote |
|------------|-------------------------------------|--------------|-------------|------------|-------------------|
| 111D299    | V.esfera BIDIREC. ACT.ELEC.S/ENC 20 | 0,9585       | 0,01553     | 1,2852     | 1                 |
| 111D300    | V.esfera BIDIREC. ACT.ELEC.S/ENC 25 | 2,1796       | 0,00891     | 2,367      | 1                 |
| 111D301    | V.esfera BIDIREC. ACT.ELEC.S/ENC 32 | 3,359        | 0,03648     | 3,593      | 1                 |
| 111D302    | V.esfera BIDIREC. ACT.ELEC.S/ENC 40 | 2,5896       | 0,02243     | 3,368      | 1                 |
| 111D303    | V.esfera BIDIREC. ACT.ELEC.S/ENC 50 | 3,5333       | 0,02243     | 4,021      | 1                 |
| 111D304    | V.esfera BIDIREC. ACT.ELEC.S/ENC 63 | 3,8223       | 0,03648     | 4,4123     | 1                 |
| 111D305    | V.esfera BIDIREC. ACT.ELEC.S/ENC 75 | 6,086        | 0,03648     | 6,68       | 1                 |
| 111D306    | V.esfera BIDIREC. ACT.ELEC.S/ENC 90 | 8,575        | 0,04460     | 9,269      | 1                 |





## ITEM 653 | Válv. Bola “Basic” bidireccional PTFE salida colar act. Eléctrico

| CÓDIGO | f  | Actuador | PESO (g) | DN | A   | B   | C  | D   | E   | F   | PN   | MEDIDA  |
|--------|----|----------|----------|----|-----|-----|----|-----|-----|-----|------|---------|
| 11D299 | 20 | H10      | 1077.6   | 15 | 86  | 55  | 16 | 227 | 177 | 44  | PN16 | MÉTRICO |
| 11D300 | 25 | H10      | 1119.48  | 20 | 94  | 62  | 19 | 232 | 177 | 49  | PN16 | MÉTRICO |
| 11D301 | 32 | H10      | 1258.8   | 25 | 122 | 72  | 23 | 243 | 177 | 66  | PN16 | MÉTRICO |
| 11D302 | 40 | H20      | 2118.7   | 32 | 131 | 88  | 25 | 265 | 177 | 71  | PN16 | MÉTRICO |
| 11D303 | 50 | H20      | 2375.84  | 40 | 150 | 103 | 31 | 282 | 177 | 75  | PN16 | MÉTRICO |
| 11D304 | 63 | H20      | 2839.8   | 50 | 177 | 120 | 38 | 390 | 177 | 89  | PN16 | MÉTRICO |
| 11D305 | 75 | H35      | 4550     | 65 | 216 | 150 | 45 | 401 | 177 | 119 | PN10 | MÉTRICO |
| 11D306 | 90 | H55      | 6630     | 80 | 257 | 181 | 51 | 450 | 177 | 140 | PN10 | MÉTRICO |





## Documentação do Produto



## Certificados do Produto

## Certificados da Empresa

